

## Rich Data Types

```
html_string
markdown_string
textile_string
password_string
text
email_address
enum_string
percentage
```

## Generators

```
hobo
hobo_front_controller
hobo_model
hobo_model_controller
hobo_model_resource
hobo_rapid
hobo_user_controller
hobo_user_model
```

## Extensions to Object

### is\_a?

```
now takes multiple arguments
>> "foo".is_a?(String, Symbol)    => true
>> :foo.is_a?(String, Symbol)     => true
>> 1.is_a?(String, Symbol)       => false
```

### \_.?

```
only calls the method if the receiver is not nil.
>> "foo"._?.length
=> 3
>> nil._?.length
=> nil
```

### Object#try

```
".try" only calls the method if the receiver responds to that method.
```

```
>> "foo".try.length
=> 3
>> :foo.try.length
=> nil
```

## shorthand DryML

```
<a:name/> is a shorthand for <a field="name"/>
<input:name/> is a shorthand (afaik) for <input field="name"/>
```

## Core Tag Library

```
call-tag
  attributes: tag
```

```
wrap
  attributes: tag, when, parameter
partial
  attributes: name, locals
repeat
  attributes: even-odd, join
with
  alias-of="do" / if
  attributes: test
else
unless
  attributes: test
```

## Rapid Tag Library

```
field-list
  attributes: tag
item
nil-view
ul
  attributes: empty
table
  attributes: fields, field-tag, empty
image
  attributes: src
spinner
hobo-rapid-javascripts
  attributes: tiny-mce
type-name
  attributes: type, plural, lowercase, dasherize
a
  attributes: action, to, params, query-params, href, format, subsite
view
  attributes: inline, block, if-blank, no-wrapper, truncate
belongs-to-view
has-many-view
view
  for="Date"  attributes: format
view
  for="Time"   attributes: format
view
  for="Numeric" attributes: format
view
  for="Hobo":Text view
  for="html" view
  for="markdown" view
  for="textile" view
  for="password" view
  for="string" view
  for="boolean" view
  for="ActiveRecord":Base count
  attributes: label, prefix, if-any, lowercase
theme-stylesheet
  attributes: name
has-many-table
  attributes: part-id, delete-buttons, headings, id
add-by-name
  attributes: action-name, add-text, update, part-id
you
  attributes: have, are, do, titleize
```

```
You
your
Your
live-search
a-or-an
  attributes: word
A-or-An
  attributes: word
filter-menu
  attributes: param-name, options, no-filter
comma-list
  attributes: separator
```

## Rapid Document Tag Library

```
labelled-item-list
labelled-item
item-label
item-value
heading
sub-heading
nav
section
  attributes: empty
aside
  attributes: empty
header
  attributes: empty
footer
  attributes: empty
piece
  attributes: empty
panel
```

## Rapid Editing Tag Library

```
editor
has-many-editor
belongs-to-editor
editor
  for="string" editor
  for="text" editor
  for="html" editor
  for="datetime" editor
  for="date" editor
  for="integer" editor
  for="float" editor
  for="password" editor
  for="boolean" editor
  for="big_integer" editor
  for="Hobo::EnumString" autocompleter
    attributes: completer-model, completer-attr, id, filter, name, value
belongs-to-menu-editor
belongs-to-autocompleting-editor
  attributes: update
string-select-editor
  attributes: update, values
boolean-checkbox-editor
  attributes: update, message
sti-type-editor
```

```
  attributes: update
  integer-select-editor
    attributes: min, max, update, nil-option, message
  has-many-checkbox-editor
    attributes: model, update, message
  has-many-checkbox-editors
```

## Rapid Forms Tag Library

```
hidden-fields
  attributes: fields, skip, for-query-string
form
  attributes: update, hidden-fields, action, method, web-method
submit
  attributes: label, image
input
input
  for="text" attributes: name
input
  for="boolean" attributes: name
input
  for="password" attributes: name
input
  for="html" attributes: name
input
  for="date" attributes: order
input
  for="datetime" attributes: order
input
  for="integer" attributes: name
input
  for="float" attributes: name
input
  for="string" attributes: name
input
  for="big_integer" attributes: name
input
  for="HoboFields::EnumString" attributes: labels,titleize
input
  for="percentage" attributes: name
belongs-to-input
remote-method-button
  attributes: method, update, label
update-button
  attributes: label, update, fields, params
delete-button
  attributes: label, update, in-place, image, confirm, fade, subsite
create-button
  attributes: model, update, label, fields, message
belongs-to-menu-input
  attributes: include-none, blank-message, options
belongs-to-autocompleting-input
sti-type-input
select-input
error-messages
select-many
  attributes: options, targets, remove-label, prompt
after-submit
  attributes: uri, stay-here, go-back
hidden-field
```

```
    attributes: name, value
    select-menu
        attributes: options, selected, first-option, first-value
```

#### Rapid Generics Tag Library

```
creation-details
primary-content
association-count
base-card
card
search-card
collection
collection-preview
    attributes: limit
```

#### Rapid Navigation Tag Library

```
navigation
    attributes: current
nav-item
account-nav
page-nav
    attributes: params
page-n-of-count
previous-page-link
next-page-link
first-page-link
last-page-link
magic-nav
```

#### Rapid Pages Tag Library

```
base-page
    attributes: title, doctype
simple-layout
aside-layout
page
    attributes: layout
index-page
new-page
show-page
    attributes: primary-collection
edit-page
new-in-collection-page
show-collection-page
permission-denied-page
    attributes: message
not-found-page
    attributes: message
doctype
    attributes: version
stylesheet
    attributes: name, media
javascript
    attributes: name
flash-message
    attributes: type
ajax-progress
default-page-title
```

#### Rapid Plus Tag Library

```
table-plus
    attributes: sort-field, sort-direction, sort-columns
change-password-form
```

#### Rapid Support Tag Library

```
with-fields
    attributes: fields, associations, skip, skip-associations, include-timestamps, force-all
with-field-names
    attributes: fields, skip, skip-associations, include-timestamps
```

#### Rapid User Pages Tag Library

```
signup-page
login-page
    attributes: remember-me
account-disabled-page
account-page
```